



TITAN
STEEL PRODUCTS

STEEL **TITAN** PRODUCTS

PRODUCT CATALOG

INDEX


PANEL PRODUCTS

Pg. 2



TRIM PROFILES

Pg. 3



COLOR CHART

Pg. 4



WOOD- GRIP FASTENERS

Pg. 5-7



METAL- GRIP & MISC FASTENERS

Pg. 7-8




CLOSURES

Pg. 9



VENTILATION

Pg. 10



SEALANTS

Pg. 11



FLASHINGS

Pg. 12



UNDERLAYMENTS

Pg. 13



INSULATION

Pg. 14



SNOW DEFENDER

Pg. 15



MISC TOOLS & HARDWARE

Pg. 16-17






TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS



PRODUCT CATALOG

PANEL PRODUCTS



PBR-PANEL PROFILE

- Ideal for Residential, Commercial, and Agricultural applications
- Available in 26 Gauge
- Tried & Trusted Sherwin Williams Paint Coatings with 20+ Colors to choose from



AG-PANEL PROFILE

- Low, 5 rib profile
- Ideal for Residential, Commercial, and Agricultural applications
- Available in 26 & 29 Gauge
- Tried & Trusted Sherwin Williams Paint Coatings with 20+ Colors to choose from






TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

TRIM PROFILES


RIDGE CAP




RESIDENTIAL RIDGE CAP




**DIE-FORMED
RIDGE CAP**




RESIDENTIAL RAKE




RAKE & CORNER




INSIDE CORNER




FASCIA




DRIP EDGE




EAVE




J-CHANNEL



VALLEY



RAT GUARD



Not seeing what you need? Contact us for custom trims



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

COLOR CHART



WeatherXL™ Silicone Polyester Coatings

STEEL
TITAN
PRODUCTS



Hunter Green (WXG0021L)



Light Stone (WXD0038L)



Pewter Gray (WXA0093L)



Brite Red (WXR0084)



Charcoal Gray (WXA0090L)



Dark Green (WXG0020L)



Burnished Slate (WXB1007L)



Burgundy (WXR0076L)




Gallery Blue (WXL0026L)



Cocoa Brown (WXB1009L)

SHERWIN-WILLIAMS
Coil Coatings

WeatherXL





TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

FASTENERS

WOOD-GRIP FASTENERS



FastGrip #10 Hi-Lo

FastGrip™ Hi-Lo screws are some of the best in the industry. The type 17 point makes for fast driving. The paint stays on when installing and builders prefer Levi's "true" sizing and Hi-Lo threading for better holding power and easy installation.

- 1/4" Hex Head
- EPDM Bonded Washer
- Hi-Lo Thread
- Mechanical Galvanized
- Type 17 Point
- Color Match over 40 colors
- Available in stitcher (7/8") - 3"



FastGrip #10 Hi-Lo Mini-Driller

The FastGrip™ #10 Hi-Lo MINI-DRILLER™ has all of the specs that make the FastGrip™ #10 Hi-Lo the go-to fastener, but with the added MINI-DRILLER™ point. The MINI-DRILLER™ makes easy work of driving through metal panels, while the Hi-Lo thread provides superior pull-out strength in metal to wood applications.

- 1/4" Hex Head
- EPDM Bonded Washer
- Hi-Lo Thread
- Mechanical Galvanized
- 1022 Carbon Steel
- MINI-DRILLER™ point
- Increase performance when drilling through 2 layers of metal
- Color Match over 40 colors
- Available in 1" - 3"



LoGrip #10 Hi-Lo

LoGrip is a low profile, metal to wood roofing screw that has a refined appearance compared to the traditional hex head roofing screw. Features include T25 star drive, Hi-Lo threads, is mechanically galvanized for corrosion protection, and has an EPDM rubber washer that incorporates a secure seal. LoGrip provides a good grip to hold your metal roofing in place by having a type 17 point for easy penetration. This low-profile fastener is also available in 1" without a washer for interior liner panels.

- Low Profile
- EPDM Washer
- Hi-Lo Thread
- Mechanical Galvanized
- Type 17 Point
- Color Match over 40 colors
- Available in 1" - 2"



FastGrip #9SS

The stainless steel Fastgrip™ series of screws has a 1/2" diameter aluminum washer. Available in 40 plus quick ship colors, the Fastgrip™ easily drills through aluminum panels and is prepared to handle tough installation conditions.

- 1/4" Hex Head
- Aluminum EPDM Bonded Washer
- 300 Series Stainless Steel
- 50 Year Warranty
- Easily drills through aluminum panels
- Color Match over 40 colors
- Available in 1" - 3"
- ***Should NOT be used in 29 gauge steel. Panels must be punched or pre-drilled.



FastGrip #14

Ensure superior holding power for OSB and plywood construction with the mechanical galvanized #14 roofing screw. Great pull out resistance is this fastener's strength. Tight sealing EPDM washer and type 17 point.

- 5/16" Hex Head
- EPDM Bonded Washer
- Mechanical Galvanized
- Type 17 Point
- 1022 Carbon Steel
- Use with OSB & other plywoods
- Color Match over 40 colors
- Available in stitcher (7/8") - 3"



ProZ - #10

Ensuring a weather tight seal for metal to wood with the ProZ is easy. ProZ features a strong cap that withstands the toughest installation conditions and is compatible with all metal finishes. The design of the washer head reduces overdriving and the zinc aluminum alloy cap will never red rust.

- 5/16" Hex Head
- No Red Rust, Zinc Aluminum Alloy Cap
- EPDM Bonded Washer
- Zinc Plated
- Type 17 Point
- Color Match over 40 colors
- Available in 1" - 3"
- 50 Year Warranty

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

FASTENERS

WOOD-GRIP FASTENERS



ProZ - Mini-Driller

The ProZ™ #10 Hi-Lo MINI-DRILLER™ has all of the specs that make the ProZ™ #10 Hi-Lo a high quality and reliable fastener, but with the added MINI-DRILLER™ point. The MINI-DRILLER™ makes easy work of driving through metal panels, while the Hi-Lo thread provides superior pullout strength in metal to wood applications. The Zinc Aluminum alloy cap provides reliable rust and corrosion resistance, which is why the ProZ™ #10 Hi-Lo MINI-DRILLER™ has the 50 year ProZ™ warranty.

- 5/16" Hex Head
- No Red Rust, Zinc Aluminum Alloy Cap
- EPDM Bonded Washer
- Zinc Plated
- Mini-Driller Point
- Color Match over 40 colors
- Available in 1" - 3"
- 50 Year Warranty



ProCap™ #10

ProCap™ features #10 Hi-Lo threads in the popular 1/4" drive size. The 304 stainless steel cap withstands tough weather elements and is economically priced. Levi's guarantees their rust-free stainless steel cap ProCap™ line, available in 40 plus quick ship colors, and backed with our 40 year warranty.

- 1/4" Hex Head
- Stainless Steel Cap
- EPDM Washer
- Zinc Plated
- Hi-Lo Thread
- 1022 Carbon Steel
- Color Match over 40 colors
- Available in 1" - 3"
- 40 Year Warranty



ReGrip™ #12

Choose from mechanical galvanized or 300 series stainless steel options in 1-1/2", 2" or 2-1/2" sizes when looking to replace nails or screws that have failed. The sharp point drills easily and the oversized 5/8" EPDM washer seals tightly. Fasten aluminum panels effortlessly using the SS screw. Quick ship colors available or match to your roof color.

- 1/4" Hex Head
- Stainless Steel Cap
- 5/8" OD EPDM Bonded Washer
- Mechanical Galvanized or 300 Series Stainless Steel
- Hi-Lo Thread
- 1022 Carbon Steel
- Color Match over 40 colors
- Available in 1" - 2-1/2"



TuffGrip™ #12

The Tuffgrip™ #12 is the right screw to get a good grip in metal to OSB applications. The #12 shank and aggressive threads means greater pull-out strength. The non-bonded complete cover washer perfectly seals out the elements, preserving the washer integrity.

- 1/4" Hex Head
- Stainless Steel Cap
- EPDM Complete Cover Washer
- Zinc Plated
- Hi-Lo Thread
- 1022 Carbon Steel
- Color Match over 40 colors
- Available in 1" - 3"
- 40 Year Warranty



Pancake-T17

Choose the zinc plated pancake head to achieve a low-profile, flush finish. T-17 drill points available in multiple lengths.

- Low-Profile, Flush finish
- Square/Phillips Head
- Type 17 Point
- Color Match over 40 colors
- Available in 1" - 2"



Pancake-300SS

Choose stainless steel for a low-profile, flush finish. Sharp point screw available in multiple lengths. Designed to fasten standing seam clips.

- Low-Profile, Flush finish
- #2 Square Head
- 300 Series Stainless Steel
- Sharp Point
- Color Match over 40 colors
- Available in 1" - 2"

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

FASTENERS

WOOD-GRIP FASTENERS



Pancake-Low Profile

This ultra-thin pancake head fastener is designed to fasten flush and lay flat without dimpling or showing through the panel. Available in three sizes with SP drill point and #2 square, low profile head style. Designed to fasten standing seam clips.

- Ultra Thin Pancake Head
- #2 Square Head
- Zinc Plated
- Sharp Point
- Color Match over 40 colors
- Available in 1" - 2"



Wafer Head - #8

Zinc plated, wafer head screws tackle the job and provide a tight, flush seal.

- #2 Phillips Head
- Zinc Plated
- Sharp Point
- Available in 9/16" - 1-7/8"



Flat Head Screw with Wings

Fastens tightly for a flush finish in heavy gauge metal. This hard-working, self-drilling specialty screw attaches wood to steel. Wings pre-drill the wood and the strength of the drill point handles heavier steel. Screw head sinks easily and remains flush for a tight seal.

- #3 Phillips Head
- Zinc Plated
- Type 4
- Available in 2" - 3-3/4"

METAL-GRIP FASTENERS



MetalGrip™ - #12 Type #3

Ensure a superior grip by using a specialty screw from the Metalgrip™ family on your next steel project. Secure metal to metal purlins up to a .210 steel thickness with the #3 self-drill point.

- 5/16" Hex Head
- Galvanized EPDM Bonded Washer
- Mechanical Galvanized
- Self Drilling #3
- Color Match over 40 colors
- Available in 3/4" - 3"
- Available with NO washer



MetalGrip™ - #12 Type #5

Ensure a superior grip by using a specialty screw from the Metalgrip™ family on your next steel project. Secure metal to metal purlins up to a .210 steel thickness with the #3 self-drill point.

- 5/16" Hex Head
- Galvanized EPDM Bonded Washer
- Mechanical Galvanized
- Self Drilling #5
- Color Match over 40 colors
- Available in 1-1/4" - 2"
- Available with NO washer



ProZSD - #3&5

Ensuring a weather tight seal for metal to metal installations is easy with ProZTM SD. The design of the washer head reduces overdriving and can never red rust with the zinc aluminum alloy cap. ProZTM SD provides a strong cap that withstands the toughest installation conditions and is compatible with all panel finishes.

- 5/16" Hex Head
- No Red Rust, Zinc Aluminum Alloy Cap
- EPDM Bonded Washer
- Zinc Plated
- 1022 Carbon Steel
- Color Match over 40 colors
- Available in 1" - 3" and stitch drill points
- 50 Year Warranty

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

FASTENERS

METAL-GRIP FASTENERS



Pancake-Self Driller

Choose the pancake head to achieve a low-profile, flush finish. Zinc plated with #3 self-drilling point for metal to metal applications.

- Phillips/Square Head
- Zinc Plated
- #3 Self-Drilling Point
- Color Match over 40 colors
- Available in 1" - 2"



#7 Zip Screws

Choose the pancake head to achieve a low-profile, flush finish. Zinc plated with #3 self-drilling point for metal to metal applications.

- 1/4" HWH Head
- 410 Stainless Steel
- Sharp Point
- Color Match over 40 colors
- Available in 1/2"



#8 Wafer Head Self-Drilling Type 2

Zinc plated, wafer head screws tackle the job and provide a tight, flush seal.

- #2 Phillips Head
- Zinc Plated
- Available in 1/2" - 1-1/4"

MISC FASTENERS



DeckGrip™

Uses range from conventional decking to roofing furring strip applications. Five lengths offered in #9/#10, with a type 17 point, olive green color and easy bucket storage. High quality, long-lasting salt spray coating ensures corrosion resistance and a long life for your deck screw application.

- T-25 Star (Torx) drive
- Flat Head
- Compatible with treated lumber
- 1500 Hour Salt Coating
- Type 17 Point
- Available in 2" - 5"



FrameGrip™

The FrameGrip™ structural screw from Levi's Building Components® is an excellent choice for a lag screw alternative. FrameGrip™ structural screws require no pre-drilling and can be used in both indoor and outdoor structural applications. The T-17 and Saw Thread allow for quick and easy drilling, while the U Thread creates added space to increase draw strength and reduce risk of wood splitting.

- Star T30 (Torx) drive
- Structural, Lag screw alternative
- Compatible with treated lumber
- U-Thread and Saw-Thread
- Type 17 Point
- Available in 3" - 8"



EZGrip™ Plastic Sheetting Fastener

The EZ Grip® plastic sheetting fastener is specially made for installing PVC, polycarbonate and fiberglass. The EZ Grip® wings bore out extra space allowing for expansion and contraction, greatly reducing the risk of panel damage.

- 1/4" Hex Head
- EPDM Bonded Washer
- Wings Create Space for Panel Movement
- 300 Series Stainless Steel
- #3 Drill Point - Self-Drilling
- Available in 3/4"



Concrete Wedge Anchor

The ideal choice for creating a secure anchor for objects in concrete. When installed into a pre-drilled hole in the concrete and tightened, the wedge anchor expands and becomes securely anchored.

- Carbon Steel, Zinc Plated
- Anchor objects in solid concrete or grout filled concrete masonry
- One-piece grip ensures uniform holding capacity that increases as tension is applied
- Available in 3" - 10"



Pop Rivets #43

Designed to attach trim on standing seam metal roofing, assemble cupolas and other metal fabrication applications.

- #43 300 Series Stainless Steel Rivets
- Rivet tool also available

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

CLOSURES

Closure Strips

High-density foam-filler strip available with an adhesive that stays tacky even in cold weather

- Available with or without adhesive
- 1.5lb. - 2lb. density
- Cross-linked polyethylene



Emseal® Closure

Ensure a weather tight seal with Emseal®, a self-adhering, flexible foam sealant which expands to fill contours and gaps. Use Emseal® to seal out dust, air, wind-driven snow and moisture through joint details in metal buildings and roofs. Suitable for use against metal, plastic, wood, concrete and other common metal building structures. The Emseal® expanding sealant is UV-stable and will not dry out and become hard or brittle. The Expanding Foam Sealant maintains a seal during thermal expansion and contraction of building panels. The sealant has a self-adhesive on one side.

- 1" width
- 1" - 1-1/2" heights



3/4" High Rib



R Panel



Strong Rib



Panel Drain



Universal Closure

An economical option to seal and fill any space under ridge caps, trim and other openings between metal panels. Universal Closure easily compresses or expands as necessary to fill gaps between panels. Easy installation means your job gets done fast.

- 1" - 1-1/2" widths
- 1" height
- 25' Lengths

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

VENTILATION



FastVent Plus AG Panel



FastVent Plus Standing Seam Panel



FastVent Plus R Panel

FastVent™ Plus

FastVent Plus provides ventilation and uniform air flow for the proper maintenance of metal roofs. Uniquely engineered, breathable closure strips eliminate any leak path into the ridge area by completely sealing against the panel profile. This form-fit reduces wind-driven rain problems to a minimum. Closed cell polyethylene completely surrounds the open-cell venting foam.



QuickLath™

Quicklath™ is a strong and lightweight, high-density polyethylene foam. It is used as a spacer between roof materials, providing air flow and ventilation. Easy to cut with a knife, Quicklath will not warp or corrode and is ideal for re-roofing.

- Cross-linked polyethylene
- Allows airflow and ventilation between the old and new roofing material
- Creates smoother roof panels (no warped wood spacers)
- Use multiple layers to even out existing roof inconsistencies
- Two Rolls, 150 feet each, cover 300 feet
- Very easy to use and cuts easily



FloVent™ 9

FloVent™9 is a simple and easy solution for 3/4" rib panels. Made with polyester fiber, the 3.4" high rib, 9" O.C. profile cut allows for a perfect form fit, while the strong adhesive holds the vent in place until fastened with the ridge cap. This prevents weather element damage. It protects your building and prolongs the life of your roof.

- For 3/4" AG 9" O.C.
- Eliminates Condensation
- Fire Retardant & UV Stable
- Continuous Adhesive Strip
- Available in 2" Wide x 1" High x 20' Long Rolls



FloVent™ 115

FloVent™115 is a peel and stick, simple solution and is easy to install on varying roof profiles. Protect your building and prolong the life of your roof - the foam construction prevents weather element damage while allowing consistent airflow for ventilation.


- Fits Many Profiles
- Fire Retardant & UV Stable
- Easy Installation with Scrim Tape
- Available in 1-1/2" Wide x 1" High x 20' Long



FloVent™ 112

FloVent™112 is a peel and stick, simple solution and is easy to install on varying roof profiles. Protect your building and prolong the life of your roof - the foam construction prevents weather element damage.

- Fits Many Profiles
- Fire Retardant & UV Stable
- Easy Installation with Scrim Tape
- For 7/8" Rib Height or Less
- Available in 2" Wide x 10' Long Rolls
- Also Available in FloVent 134 1-3/4" Available for 1-1/4" rib heights



FloVent™ 120

FloVent™120 is a simple solution and is easy to install on varying roof profiles. They polyethylene foam construction prevents weather element damage by compressing and conforming to every void between the ridge cap and roof panel. Fits any roof panel configuration and can be used with any manufacturer's ridge cap.

- Fits Many Profiles
- Fire Retardant & UV Stable
- Easy Installation with Scrim Tape
- For 7/8" Rib Height or Less
- Available in 2" Wide x 10' Long Rolls

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

SEALANTS



Butyl Tape

Protect and seal cracks, seams and vents on metal roofs for a reliable and superior seal using this versatile product. Butyl tape adheres easily to multiple materials and is trusted due to its unique properties. Both UV resistant and temperature change resilient, butyl tape provides long lasting protection against the elements.

TiteBond WeatherMaster Sealant

Titebond WeatherMaster Metal Roof Sealant is a premium-grade, superior polymer formula that offers unbeatable adhesion to all metals including Kynar coated metals, aluminum, galvanized steel, copper and most metal building materials. It can be extruded in extreme temperatures, remains permanently flexible and will not shrink, adheres well to wet and damp surfaces and is dust resistant. **Available in 40+ Colors to color match your project.**



Through The Roof - Sealant

When there's a nagging roof leak that others can't fix, or when you don't want to take your chances, use Through the Roof! Its unique co-polymer rubber formula creates a permanent, invisible seal, even when applied in the middle of a rainstorm. (It works great on dry surfaces, too.) Through the Roof! will stick to almost any roofing surface - metal, plastic, asphalt, wood, concrete, and more. Through the Roof! goes on clear and stays clear, easily blending in with your roof. And unlike silicone, paint sticks to Through the Roof! for a professional, finished look. UV protection keeps it from cracking and yellowing.

Available in 40+ Colors to color match your project.



Not seeing what you need? Contact us for more options!

**TITAN**

STEEL PRODUCTS

STEEL**TITAN**
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

FLASHINGS

**DEKStrip**

Dekstrip expandable-edge flashing is the answer to flashing large, curved or awkward profiles. It's ideal for square ducts, chimneys and skylights. Expandable edge flashing stretches to any shape, seals and stays. Fast, easy and effective...just fit it and forget it!

- Gray TPE has a continuous service temperature range of 58°F to +240°F
- Serpentine edges stretch up to 25% for added length
- Paintable after installation
- Wraps around almost any profile
- Absorbs vibration and handles expansion

**DEKS Round Universal Retrofit**


A roof boot that fits when others don't. Most commonly used when there is flashing around an existing penetration when going over top the pipe material is not an option. The unique patented zip lock does not require separate clips – just clamp it together.

- Zip Seal Roof Flashing
- 20 Year DEKS Warranty

**DEKS Round Pipe Flashing**

Metal Roof Flashings that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of roof pitches. Clearly marked cutting grooves make it easy to size correctly.

- Clearly Marked Cutting Grooves
- Multiple Color Options
- Red Silicone for High Temp. Resistance Available
- Sizes available for most applications

**DEKS Square Combo Retrofit**

A roof boot that fits when others don't. Most commonly used when there is flashing around an existing penetration, when going over the top the pipe material is not an option. The unique patented zip lock does not require separate clips – just clamp it together.

- 20 Year DEKS Warranty
- Available in High Temp

**DEKS Square Pipe Flashing**

Roof Boots that give long lasting performance from a proven leader in the industry. DEKS roof boots are easy to install and provide a cone design that conforms easily to a range of roof pitches. Clearly marked cutting grooves make it easy to size correctly.

- Black EPDM 500
- Gray EPDM 500
- Red Silicone (high-temp)
- 20 year DEKS warranty
- Available in 2"-20"

**DEKS Square Extreme Angle**

A roof boot that fits when others don't. Most commonly used for tough angle pipes.

- Available in High Temp

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

UNDERLAYMENTS

PLUS



Roloshield™ Plus

Contractor friendly Roloshield™ is lightweight, stronger than felt, and is faster to install. Use less rolls to cover more of the roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. Roloshield™ lays flat and is water-resistant with superior drapability in valleys and on ridges and hips. Speedy installation is achieved by using the Roloshield™ pre-printed nailing pattern. Extended UV resistance provides installation opportunities on hot sunny days and provides a cooler working surface. Roloshield™ is Class A fire rated and Code Approved. The new and improved Roloshield™ lineup has an added slip resistant layer for every product level. With all four products having ICC and Miami-Dade approvals, the new Roloshield™ lineup offers a range of economical to high end options with code-compliant quality for every product from Plus to Extreme.

- 25 Year Warranty
- 100% Synthetic Woven
- Tear Resistance: 20lbs
- Tensile Strength: 40lbs
- UV Resistant - Can be exposed for up to 6 months
- Class A Fire Rating
- Nominal Thickness: 6mil
- Temperature Range -40°F - 240°F
- 10 Squares per roll, 48" Wide x 250 Ln. Ft.
- RoloPrime - Limited Lifetime Warranty
- RoloExtreme - Limited Lifetime Warranty

PRO



Roloshield™ Pro

Contractor friendly Roloshield™ is lightweight, stronger than felt, and is faster to install. Use less rolls to cover more of the roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. Roloshield™ lays flat and is water-resistant with superior drapability in valleys and on ridges and hips. Speedy installation is achieved by using the Roloshield™ pre-printed nailing pattern. Extended UV resistance provides installation opportunities on hot sunny days and provides a cooler working surface. Roloshield™ is Class A fire rated and Code Approved. The new and improved Roloshield™ lineup has an added slip resistant layer for every product level. With all four products having ICC and Miami-Dade approvals, the new Roloshield™ lineup offers a range of economical to high end options with code-compliant quality for every product from Plus to Extreme.

- 50 Year Warranty
- 100% Synthetic Woven
- Tear Resistance: 20lbs
- Tensile Strength: 50lbs
- UV Resistant - Can be exposed for up to 6 months
- Class A Fire Rating
- Nominal Thickness: 7mil
- Temperature Range -40°F - 240°F
- 10 Squares per roll, 48" Wide x 250 Ln. Ft.
- ICC-ES ESR-3518

PRIME



Roloshield™ Prime

Contractor friendly Roloshield™ is lightweight, stronger than felt, and is faster to install. Use less rolls to cover more of the roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. Roloshield™ lays flat and is water-resistant with superior drapability in valleys and on ridges and hips. Speedy installation is achieved by using the Roloshield™ pre-printed nailing pattern. Extended UV resistance provides installation opportunities on hot sunny days and provides a cooler working surface. Roloshield™ is Class A fire rated and Code Approved. The new and improved Roloshield™ lineup has an added slip resistant layer for every product level. With all four products having ICC and Miami-Dade approvals, the new Roloshield™ lineup offers a range of economical to high end options with code-compliant quality for every product from Plus to Extreme.

- Limited Lifetime Warranty
- 100% Synthetic Woven
- Tear Resistance: 20lbs
- Tensile Strength: 50lbs
- UV Resistant - Can be exposed for up to 6 months
- Class A Fire Rating
- Nominal Thickness: 9mil
- Temperature Range -40°F - 240°F
- 10 Squares per roll, 48" Wide x 250 Ln. Ft.
- ICC-ES ESR-3518

EXTREME



Roloshield™ Prime

Contractor friendly Roloshield™ is lightweight, stronger than felt, and is faster to install. Use less rolls to cover more of the roof and lower your installed cost by using this 100% polypropylene synthetic roofing underlayment. Roloshield™ lays flat and is water-resistant with superior drapability in valleys and on ridges and hips. Speedy installation is achieved by using the Roloshield™ pre-printed nailing pattern. Extended UV resistance provides installation opportunities on hot sunny days and provides a cooler working surface. Roloshield™ is Class A fire rated and Code Approved. The new and improved Roloshield™ lineup has an added slip resistant layer for every product level. With all four products having ICC and Miami-Dade approvals, the new Roloshield™ lineup offers a range of economical to high end options with code-compliant quality for every product from Plus to Extreme.

- Limited Lifetime Warranty
- 100% Synthetic Woven
- Tear Resistance: 35lbs
- Tensile Strength: 90lbs
- UV Resistant - Can be exposed for up to 6 months
- Class A Fire Rating
- Nominal Thickness: 11mil
- Temperature Range -40°F - 240°F
- 10 Squares per roll, 48" Wide x 250 Ln. Ft.
- ICC-ES ESR-3518

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

INSULATION



Vinyl-Backed Fiberglass Insulation

Available in:

- 2"-6" Thicknesses
- 3' or 6' Widths
- With or without tabs
- Custom Lengths
- Made in the USA

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG


SNOW DEFENDER™



Snow Defender™ 4500 - Exposed Fastener

The Snow Defender® 4500 is the snow guard you need for long lasting protection against melting snow. Designed for use with exposed fastener panels on 2x4 purlins in the flat position. The EPDM Rubber seal makes installation quick and easy. No extra caulk to take up on the roof, just screws and snow guards. The 304 Stainless Steel design and ability to use up to a #14 screw for fastening assures that these snow guards stay on the roof. They come in 40+ colors which allows you to match virtually any metal roofing color. They are designed for use with wood furring strips or purlins under metal. The traditional look adds character to your roof project while protecting people, vehicles, and landscaping below. The Snow Defender® 4500 allows snow to come off the roof in small pieces, while keeping it from sliding off all at once.

- Embossed "V" for 40% Greater Rigidity
- 16 Gauge, Type 304 Stainless Steel
- Powder Coated or Mill Finish
- 15 Year Warranty



Snow Defender™ S-5! & Color Guard

Snow retention systems are designed to retain snow and ice on roofs, reducing the possibility of damage to gutter, adjacent roofs, landscape, vehicles or people below. This system features a versatile bar-type for snow retention which utilizes a strip of the actual roof material as an insert to provide a perfect color-match for the life of the roof.

- No panel penetration
- Does not violate panels' thermal movement
- Unequaled holding strength
- S-5! attachment does not violate roof system warranties
- Will not damage the roof or finish
- Manufactured from mill finished aircraft quality aluminum



Snow Defender™ 1500 - Exposed Fastener

The Snow Defender® 1500 is designed for use with an exposed fastener panel on 2x4 purlins in the upright position or on 2x4 purlins in the flat position. The 1500 has an EPDM rubber seal, so it makes for an effortless install — you only need the snow guards and screws, no extra caulk required. It's designed for narrow purlins or steel building Z's. The screw pattern allows for fastening into a purlin on edge. It also comes in 40+ colors so you are able to match any metal roof color needed.

- EPDM Rubber Seal
- 16 Gauge, Type 304 Stainless Steel
- Powder Coated or Mill Finish
- Excellent Fade Resistance
- 15 Year Warranty



Snow Defender™ 6500 - Standing Seam

The patented Snow Defender® 6500 is designed for standing seam roofs and is the snow guard of choice for many roofers. It fits standing seams up to 3/8" wide and most 1" through 1 3/4" seam heights. This strong design, made with 304 stainless, and patented non-piercing clamping attachment allows snow retention on most standing seam profiles. It's also available in 40 plus colors that match with popular standing seam roof colors.

- 304 Stainless Steel
- Does not penetrate metal
- 16 Gauge, Type 304 Stainless Steel
- Powder Coated or Mill Finish
- Excellent Fade Resistance
- 15 Year Warranty



Snow Defender™ 7500 - DECO Standing Seam

Based on the design of the popular Snow Defender® 6500, this color matched, 304 stainless steel model has the more traditional, historic look of a cast snowguard. The decorative cutouts are embossed for increased strength and the proven attachment method using set screws means the Snow Defender® 7500 DECO™ will last the life of your roof. This strong 304 stainless design and patented non-piercing clamping attachment allows snow retention on most standing seam profiles. It's also available in 40 plus colors that match with popular standing seam roof colors.

- Does not penetrate metal
- No Caulk Needed
- Type 304 Stainless Steel
- Powder Coated or Mill Finish
- Excellent Fade Resistance
- 15 Year Warranty



Snow Buster™

Unlike our metal snow guards, this polycarbonate snow guard is clear so you can hardly see them! It's a strong design with a four screw attachment method, making it our largest Snow Defender for use with exposed fastener roofs.

- UV Stable
- Heavy Duty
- Polycarbonate Lexan™ 3/16" Thick
- Mount with Screws and Adhesive (SB 190 Available)
- One Piece Injection Molded

Snow Defender™ 85RF DECO - Standing Seam

If you have ever tried to install a standing seam snow guard and became frustrated with alignment, this product will solve the problem. Designed to be part of a two-part installation system with any of the most popular S-5!® clamps, Levi's 85RF Snow Defender aligns correctly on the seam connection every time. The 85RF is designed to combine the versatility of the S-5!® clamp systems with the beauty and durability of the Snow Defender™ series. It adapts quickly to the clamps using one bolt that is easily accessed from the top and aligns squarely every time. A versatile snow guard that fits vertical folded seam profiles for S-5!™ U, S, N, V clamps (sold separately). It's made of stainless steel in the USA, available in 40 plus color finishes, and the 85RF features Levi's 15 year warranty.

- Does not penetrate metal
- Fits S-5! Clamps for Standing Seam
- No Caulk Needed
- Type 304 Stainless Steel
- Powder Coated or Mill Finish
- Excellent Fade Resistance
- 15 Year Warranty
- Clamp Sold Separately

Snow Defender™ PC240
Clear and virtually invisible, Levi's PC240 meets the builder's needs for a strong and reasonably priced snow guard. Made of polycarbonate lexan, the PC240 holds up to the weather elements.

- UV Stable
- Polycarbonate Lexan™ 3/16" Thick
- Mount with Screws and Adhesive (SB 190 Available)
- One Piece Injection Molded

Not seeing what you need? Contact us for more options!




TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

TOOLS & MISC HARDWARE



Uplift Plate

Stronger Than Rebar – Quicker Than Rebar – Better Than Rebar Uplift Plate™ is a revolutionary new product that saves post-frame builders time and money, while exceeding the uplift requirements; it's the new way to anchor your post frame buildings. This state-of-the-art design securely anchors posts to concrete without requiring time-consuming drilling. These inexpensive plates are field applied with just a framing hammer, eliminating the extra tools and time associated with rebar or other uplift techniques. Simply hammer the plates onto the post and it's ready to set in the ground for the concrete pour. In order to anchor a post properly you need to make sure the post and the concrete are fused for life. Older techniques involve drilling holes through the post and pounding in a piece of rebar. Or nailing a piece of wood to the post. Either one is only as strong as the material used to join it.

- Available in Galvanized or Hot-Dipped Galvanized
- 3" Wide x 6-5/8" High



WorkGrip™ Gloves

WorkGrip™ gloves are a cost effective quality multipurpose work glove. The nitrile coating makes for a strong grip and the breathable lightweight knit means these gloves can be comfortably worn for an extended period of time.

- Nitrile coating for a strong grip
- Lightweight construction
- Breathable knit for comfortable extended use
- Cut-Resistant (Cut 5)
- Touch Screen Compatible (Cut 5)
- Available in Sizes Sm-XL



Paint Pen

Scratches on your metal roof? Not anymore! Use our paint pen for quick fixes to provide long lasting and reliable touch-up. Available in numerous color choices that match most metals and help cover up small scratches. Quick shipping allows speedy touch-up.

- 3 year shelf life
- Over 30 colors available
- Allows quick and easy touch-up

Not seeing what you need? Contact us for more options!



TITAN
STEEL PRODUCTS

STEEL
TITAN
PRODUCTS

PRODUCT CATALOG

MISC ACCESSORIES

TOOLS & MISC HARDWARE



Jamesway Metal & Vinyl Slitter

The easy to use slitter from Jamesway Tools allows for fast on-site cuts through metal and vinyl panels. The Jamesway Tools slitter is highly durable, portable and is a game-changer for on-site metal and vinyl panel adjustments.

- For metal and vinyl panels
- Easy on-site slitter
- Durable design
- Portable
- 1-year manufacturer warranty
- Made in the USA



DekFast Washer

A quality washer is vital to a long-lasting roof system and the DEKS name is known for long-lasting performance. Trust DEKS to offer an exceptionally durable washer which provides superior sealing and strength for metal to wood or metal to metal installations. Available in a variety of size ranges, washers are clearly marked for easy identification. There is a size to suit every fastener and roof system.

- Poly Washer, Gray
- Recommended for use with polycarbonate skylight panels/side light panels
- Use with most any #12 screw, metal-to-wood or metal-to-metal
- 19mm diameter
- Use under existing washer or remove existing washer
- Corrosion resistant aluminum
- Engineered load distribution - designed to minimize distortion.



Caulk Gun

The Fisher Hand Tools™ caulk gun features a 360° rotary steel riveted carriage, a 12:1 thrust ratio, built in puncture tool and dripless design. Quickly handle caulking jobs with the easy-to-use squeeze grip.

- 360° rotary steel riveted carriage
- Dripless design
- Easy to use squeeze grip
- Built in puncture tool
- 12:1 thrust ratio



Driver Bits

Make short work of installation with quality made and properly sized driver bits available in Square, Phillips and Torx.

- #1-#3 Square
- #1-#3 Phillips
- T25, T30, & T40 Star Drive



Tin Snips

The Fisher Hand Tools Aviation Snips are featured with dropped forged chrome blades and serrated edges. Made for easy and precise on-site cutting of metal panels. With the strength to cut 18 gauge stainless, these aviation snips are a must have for any metal panel job.

- Drop Forged Chrome Blades
- Serrated Edges
- Cuts Metal Panels
- HVAC, Banding, and more!



Magnetic Nut Setter

Magnetic design allows for easy and secure installation of carbon steel fasteners. Available in various sizes.

- Use with carbon steel fasteners
- Magnetic



Spring Nut Setter

- Spring with ball bearing secures the screw during installation
- Non-magnetic design avoids trapped metal debris
- Works great with our Fastgrip™ SS, ProZ™, and ProCap™ screws

Not seeing what you need? Contact us for more options!